



**File Name:** casio 3289 manual.pdf  
**Size:** 4561 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 23 May 2019, 13:38 PM  
**Rating:** 4.6/5 from 675 votes.

**Status:** AVAILABLE

Last checked: 16 Minutes ago!

**In order to read or download casio 3289 manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

- [Register a free 1 month Trial Account.](#)
- [Download as many books as you like \(Personal use\)](#)
- [Cancel the membership at any time if not satisfied.](#)
- [Join Over 80000 Happy Readers](#)

### Book Descriptions:


We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with casio 3289 manual . To get started finding casio 3289 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.




## Book Descriptions:

### casio 3289 manual




Please check your inbox, and if you can't find it, check your spam folder to make sure it didn't end up there. Please also check your spam folder. Getting Acquainted. Congratulations upon your selection of this CASIO watch. To get the most out of your About This Manual Warning! Values produced Always use proper instruments and resources to obtain data for navigation Module 4335. Module 4348. General Guide. Temperature Data. Recall Mode. Press C. Timekeeping Mode. Stopwatch Mode. World Time Mode. Countdown Timer. Mode. Alarm Mode. Hand Setting Mode. Timekeeping. Use the Timekeeping Mode to set and view the current time and date. This watch features separate digital and analog timekeeping. The procedures for Temperature Tendency. Thermometer Screen. Screen. Thermometer. Moon Screen. Temperature. Tendency. Graph. Press A. Tide Day. Hour Minutes Seconds Temperature. Unit Temperature Sensor. Calibration. Hour. Day. Minutes. Month. Format. Year. Temperature Sensor Calibration "Thermometer". Temperature Unit "Thermometer" Daylight Saving Time DST Setting. Daylight Saving Time summer time advances the time setting by one hour from. Standard Time. Remember that not all countries or even local areas use Daylight. Saving Time. To toggle the Timekeeping Mode digital time between DST and Standard Time DST indicator Moon Data, Alarm, and Hand Setting Mode screens to Seconds To set the digital time and date Timekeeping Mode settings. Seconds Change the hour or minutes. Change the month or day This watch is preset with UTC differential values that represent each time zone around Press D. Toggle between 12 hour 12H and Press D. Change the year Setting the Digital Time and Date. Toggle between Daylight Saving. Time ON and Standard Time OFF. Specify the UTC differential Important! See "Home Site Data" for more information. Do this. Press D. PM indicator To do this. Reset the seconds to 00. Home Site Data It is based upon carefully maintained To specify a date Lunitidal Interval. Hours Longitude Longitude. <http://www.kovovyroba-priese.cz/media/images/upload/eiki-lc-xip2000-ma>

- casio 3289 manual, 1.0, casio 3289 manual.




ValueTo view tide data for a particular timeTo configure Home Site dataLongitudeLongitude.  
ValueTo view the Moon data for a particular date. For details, see “To specify aSee “Lunitidal Interval” for more information.Year. YearScreen. Button Operations. Longitude. Use D to switch between east longitude E. Lunitidal Interval. Hours, MinutesThermometer. This watch uses a temperature sensor to measure temperature. A reading is takenThe watch also takes separate readings and stores them in memory for display in theMeasured temperature values are stored in memory for later recall when you needTemperature. Thermometer Screen. Tendency Screen Temperature. Press A. Thermometer. Perform the procedure below when the time indicated by the analog hands does notTendency. Graph. Setting the Analog Time. Setting. DayMoon Data screen. Lunitidal Interval. Minutes. Longitude Value. MonthIt will also stop automatically after the time advances 12 hours or if an alarm dailyTide graph. Time. Moon Phase IndicatorMoon phase indicator and “Tide Graph” for informationTide Data Screen. Moon Data Screen. Tide graph. Moon phase indicator. Press A.See “Temperature Sensor Calibration” for more information. Important!To achieve a more accurateTemperature Tendency Graph. The watch also takes temperature readings at the top and the bottom of each hourDepending on the current Timekeeping Mode time, the temperature tendency graphFrom the top of each hour to the 29th minute, past top of the hour readings are shownTemperature tendency graph contents are updated every 30 minutes.To adjust the analog time. Past 17 hours ofTemperature change greater. Latest measurement value. The horizontal axis of the graph represents time. The rightmost column is the newestThe vertical axis of the graphTemperature change greater. ErrorMoon ageTimeTimekeeping Mode.Alarm. Alarm timeRecalling Temperature Data. Data storage time. Alarm on indicator.<http://www.masterdruck.ro/promo/eiki-lc-xt1-manual.xml>



When the alarm is turned on, the watch beeps when the You can also turn on an Hourly. Time Signal, which will cause the watch to beep twice Alarm Mode, which you enter by pressing C. Hourly time signal To set the alarm time To recall temperature records Temperature. Temperature Data Recall Mode. RecordAM indicator The measurements the watch takes at the top and the bottom of each hour are stored Memory can hold up to 50 measurement records. You can The new data is assigned record number 1, and all of Alarm Operation. Stopwatch. The stopwatch lets you measure elapsed time, split times. Minutes Stopwatch Mode, which you enter by pressing C. The alarm sounds at the preset time for 10 seconds, regardless of the mode the watch To test the alarm. In the Alarm Mode, hold down D to sound the alarm. To turn the Daily alarm and the Hourly Time Signal on and off. In the Alarm Mode, press D to cycle through the settings shown below. Module 4335. Seconds. Hours. Alarm Off. Signal Off. Alarm On. Signal Off. Alarm Off. Signal On. Alarm On. Signal On. Alarm Off. Signal Off. Alarm On. Signal Off. Alarm Off. Signal On. Alarm On. Signal On. To measure times with the stopwatch. Module 4348. Elapsed Time Split Time Two Finishes Start. First runner Display time of Second runner Display time of Day of the week and day Countdown Timer. Hours Minutes. Second. You can set the countdown timer within a range of one Countdown Timer Mode, which you enter by pressing Press D while in the Countdown Timer Mode to start the countdown timer. The countdown The alarm sounds to signal when the countdown Countdown Timer Mode. To configure countdown start time and autorepeat settings Countdown Timer Mode, hold down A until the hour. Autorepeat on indicator Start Time Start Time Auto Repeat D to toggle autorepeat on 0N and off 0F. City code. Current time in The World Time Mode digitally displays the current time in Timekeeping Mode. If you feel that there is an error in World Time Mode, which you enter by pressing C.

To view the time in another city. While in the World Time Mode, press D to scroll eastward through the city codes To toggle a city code time between Standard Time and Daylight Saving Time Saving Time setting you want to change. Daylight Saving Time is turned on. DST indicator Illumination. Auto light switch This watch has an EL electroluminescent panel that To turn on illumination manually. In any mode, press L to illuminate the display for about About the Auto Light Switch. Turning on the auto light switch causes illumination to turn on, whenever you position Moving the watch to a position that is parallel to the ground and then tilting it towards Parallel to More than. Thermometer.


Temperature Sensor Calibration. The temperature sensor built into the watch is calibrated at the factory and normally. If you notice serious errors in the temperature readings, Important! Incorrectly calibrating the temperature sensor can result in incorrect readings. Carefully read the following before doing anything. This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and Moon Phase Indicator. To specify the temperature display unit, Temperature unit. The Moon phase indicator of this watch indicates the current phase of the Moon as Reference. To turn the auto light switch on and off. In the Timekeeping Mode, hold down D for about three seconds to toggle the auto. Repeat the above. To calibrate the temperature sensor, The calibration value shows. Calibration value. Warning! Be especially careful when. Also take care that sudden illumination by the auto light switch does not. Lunitidal Interval. Theoretically, high tide is at the Moon's transit over the meridian and low tide is about. Both the time differential between the. Moon's transit over the meridian until high tide and the time differential between the. Moon's transit over the meridian until low tide are known as the "lunitidal interval."



<https://www.thebiketube.com/acros-bose-lifestyle-owner-s-manual>

When setting the lunitidal interval for this watch, use the time differential between the. Moon's transit over the meridian until high tide. Moon phase indicator. Module 4335. Module 4348. Auto Return Feature. Moon phase part you can see. Moon. Module. Phase. Module. Moon Phase. Full. New. Quarter. Moon. Moon. Quarter. Northern Hemisphere looking south. Note that at times the image shown by the. Moon phase indicator may differ from that of the actual Moon in your area. Southern Hemisphere or from a point near the equator. Moon Phases and Moon Age. The Moon goes through a regular 29.53 day cycle. During each cycle, the Moon. Earth. This watch performs a rough calculation of the current Moon age starting from day 0. Since this watch performs calculations using integer values. Tide Graph. The wave on the watch's tide graph indicates the current tide. High tide. Low tide. Tidal Movements. Tides are the periodic rise and fall of the water of oceans, seas, bays, and other. Moon and Sun. Tides rise and fall about every six hours. The tide graph of this watch. The tide graph displayed by this watch is based on the current Moon age. Mode, or Hand Setting Mode for two or three minutes. Button Operation Tone. In any mode except when a setting screen is on the display, hold down C for about. The button operation. Data and Setting Scrolling. The B and D buttons are used in various modes and setting screens to scroll. In most cases, holding down these buttons during a scroll. Timekeeping. Once you set the date, there should be no reason to change. World Time. Timekeeping Mode. Mode using UTC time differential values. It is based upon carefully maintained. Illumination Precautions. Auto light switch precautions. Doing so causes the auto light. If you want to. More than 15 degrees. If this does. This does not necessarily indicate. City. Code. City. Honolulu. Anchorage. Vancouver. San Francisco. Los Angeles. Denver. Mexico City. Chicago. Miami. New York. Caracas. St. Johns. Rio De Janeiro. Praia. Lisbon. London. Barcelona. Paris.

**CASIO**  
**Service Manual**  
(without price)



**INDEX**

Milan. Rome. Berlin. Athens. Johannesburg. Istanbul. Cairo. Jerusalem. Moscow. Jeddah. Tehran. Dubai. Kabul. Karachi. Male. Delhi. Dhaka. Yangon. Bangkok. Jakarta. Singapore. Hong Kong. Beijing. Seoul. Tokyo. Adelaide. Guam. Sydney. Noumea. Wellington. NukuAlofa Other major cities in same time zone. Papeete. Nome. Edmonton, El Paso. Montreal, Detroit, Boston. Panama City, Havana, Lima, Bogota. La Paz, Santiago, Port Of Spain. Site. Anchorage. Bahamas. Baja, California. Bangkok. Boston. Buenos Aires. Casablanca. Christmas Island. Dakar. Gold Coast. Great Barrier Reef, Cairns. Guam. Hamburg. Hong Kong. Honolulu. Jakarta. Jeddah. Karachi. Kona, Hawaii. Lima. Lisbon. London. Los Angeles. Maldives. Manila. Mauritius. Melbourne. Miami. Noumea. Pago Pago. Palau. Panama City. Papeete. Rio De Janeiro. Seattle. Shanghai. Singapore. Sydney. Tokyo. Vancouver. Wellington. UTC Differential. Standard. Time. Summer Time. Longitude. Lunitidal. Interval Dublin, Casablanca, Dakar, Abidjan. Amsterdam, Algiers, Hamburg, Frankfurt, Vienna, Madrid. Stockholm. Helsinki, Beirut, Damascus, Cape Town. Kuwait, Riyadh, Aden, Addis Ababa, Nairobi. Shiraz. Abu Dhabi, Muscat. Mumbai, Kolkata. Colombo. Phnom Penh, Hanoi, Vientiane. Kuala Lumpur, Taipei, Manila, Perth, Ulaanbaatar. Pyongyang. Darwin. Melbourne, Rabaul. Port Vila. Christchurch, Nadi, Nauru Island.



<https://www.fattyweng.com.sg/wp-content/plugins/formcraft/file-upload/server/content/files/162745d8d3017f--brother-5250-manual.pdf>

<http://schlammatlas.de/en/node/20612>